

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|-----------------|---------------|----------------------|-------------------------|--------------------------|--|
| 10/068,783 | 02/05/2002 | Albert L. Saari | H836-005-PAT | 7525 | |
| 75 | 90 01/08/2004 | | EXAM | EXAMINER | |
| WILLIAM FLYNN | | | RIDDLE, KYLE M | | |
| P.O. BOX 74 | | | ART UNIT | PAPER NUMBER | |
| CHANHASSAI | N, MIN 33317 | | 3748 | <u> </u> | |
| | | | DATE MAILED: 01/08/2004 | , , , , , , , | |

Please find below and/or attached an Office communication concerning this application or proceeding.





UNITED STATES DEPARTMENT OF COMMERCE.
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|----------------------------------|-----------------|----------------------|-------------------------|------------------|--|
| 10/068,783 | 02/05/2002 | Albert L. Saari | H836-005-PAT | 7525 | |
| 7 | 7590 12/04/2003 | | EXAMINER | | |
| WILLIAM FLYNN 19245 Highway 7 | | | RIDDLE, KYLE M | | |
| Excelsior, MN | | | ART UNIT PAPER NUMBER | | |
| | | | 3748 | 5 | |
| | | | DATE MAILED: 12/04/2003 | _ | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| <i>*</i> | <i>></i> | | TY |
|--|--|---|--|
| | Application No. | Applicant(s) | - |
| | 10/068,783 | SAARI ET AL. | |
| Office Action Summary | Examiner | Art Unit | |
| | Kyle M. Riddle | 3748 | |
| The MAILING DATE of this communication Period for Reply | appears on the cover sheet | with the correspondence addr | 9SS |
| A SHORTENED STATUTORY PERIOD FOR RETHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by second part of the period for reply will, by second patent term adjustment. See 37 CFR 1.704(b). Status | ON. R 1.136(a). In no event, however, may n. a reply within the statutory minimum of eriod will apply and will expire SIX (6) N tatute, cause the application to become | y a reply be timely filed thirty (30) days will be considered timely. MONTHS from the mailing date of this come a ABANDONED (35 U.S.C. § 133). | munication. |
| 1) Responsive to communication(s) filed on _ | | | |
| 2a) This action is FINAL . 2b) ⊠ 1 | This action is non-final. | | |
| 3) Since this application is in condition for all closed in accordance with the practice und | | | nerits is |
| Disposition of Claims | | | |
| 4) | is/are rejected47 is/are objected to. | | |
| Application Papers | | | |
| 9) The specification is objected to by the Exar 10) The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the co | accepted or b) objected the drawing(s) be held in abe rrection is required if the draw | yance. See 37 CFR 1.85(a). ing(s) is objected to. See 37 CFR | |
| Priority under 35 U.S.C. §§ 119 and 120 | | | |
| 12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority documed Society of the priority documed Society of the certified copies of the application from the International But * See the attached detailed Office action for a since a specific reference was included in the 37 CFR 1.78. a) The translation of the foreign language 14) Acknowledgment is made of a claim for dominating acknowledgment is made of a claim for domin | nents have been received. nents have been received in priority documents have be ureau (PCT Rule 17.2(a)). I list of the certified copies re nestic priority under 35 U.S. e first sentence of the spec- e provisional application has nestic priority under 35 U.S. | n Application No ten received in this National State not received. C. § 119(e) (to a provisional a diffication or in an Application Discussional services. See been received. C. §§ 120 and/or 121 since a | application) ata Sheet. specific |
| Attachment(s) | | | |
| Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-9483) Information Disclosure Statement(s) (PTO-1449) Paper Notice | 3) 5) Notice | ew Summary (PTO-413) Paper No(s). of Informal Patent Application (PTO-1 | |

Art Unit: 3748

DETAILED ACTION

Specification

- 1. The disclosure is objected to because of the following informalities:
- Page 10, line 16, "leve1" should read --level-- (the last letter should be an "L", not the number "one");
 - Page 18, line 12, "IA" should read --1A--.

Appropriate correction is required.

Claim Objections

2. The use of the trademark Hytrel® in claim 5 and claim 26 is improper and must be removed or amended to recite a generic equivalent thereof. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

- 3. Claim 24 recites the limitation "the protective case" in page 31, lines 2-3. There is insufficient antecedent basis for this limitation in the claim.
- 4. Claim 33 recites the limitation "said inorganic polymer thickening agent" in page 32, lines 3-4. There is insufficient antecedent basis for this limitation in the claim.
- 5. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. Specifically, there are two claim 37s. Beginning with the second listed claim 37, misnumbered claims 37-46 have

Application/Control Number: 10/068,783 Page 3

Art Unit: 3748

been renumbered 38-47. All references to claim numbers in this action refer to the renumbered claims.

- 6. Newly renumbered claim 42 is objected to because of the following informalities: Page 33, line 15, "roup" should read --group--. Appropriate correction is required.
- 7. Newly renumbered claim 47 is objected to because of the following informalities: Page 34, line 14, "propionate" should read --benzoate--. Appropriate correction is required.

Double Patenting

Claim Rejections - 35 USC § 101

8. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

9. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer <u>cannot</u> overcome a double patenting rejection based upon 35 U.S.C. 101.

10. Claims 14-15, 20, 24, 30-31, and 36 are rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 12-13, 15, 19, 25-26, and 35, respectively, of prior U.S. Patent No. 5,936,178. This is a double patenting rejection.

Double Patenting

11. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible

Page 4

Application/Control Number: 10/068,783

Art Unit: 3748

harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 12. Claim 1 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 19 of U.S. Patent No. 5,936,178. Although the conflicting claims are not identical, they are not patentably distinct from each other because all the essential elements that make up the humidity control device are contained in both claims. Column 4, lines 66-67 suggests the use of humidity control devices in food storage applications and the inclusion of use in a food case is an obvious choice to one of ordinary skill in the art, since many foods require specific humidity control to prevent spoiling or changes of taste.
- 13. Claim 23 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 18 of U.S. Patent No. 5,936,178. Although the conflicting claims are not identical, they are not patentably distinct from each other because the inclusion of a string foods case versus a string instrument case is not essential to the method steps of the claimed humidity control. It is obvious to one of ordinary skill in the art that the method described would apply to numerous types of cases requiring specific control of the humidity.
- 14. Claim 25 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 20 of U.S. Patent No. 5,936,178. Although the

Art Unit: 3748

conflicting claims are not identical, they are not patentably distinct from each other because the broadening of the range of thickness of the polymer film from 1 mil to 2 mils is not a substantial difference to one of ordinary skill in the art. Moreover, there is nothing in the record which establishes that the application of such represents a novel of unexpected result (See *In re Kuhle*, 526 F.2d 553, 188 USPQ 7 (CCPA 1975)).

15. Claim 26 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 21 of U.S. Patent No. 5,936,178. Although the conflicting claims are not identical, they are not patentably distinct from each other because the addition of the trademark Hytrel® is improper and should be removed or amended to recite the generic equivalent thereof (see paragraph 2 above).

Claim Rejections - 35 USC § 102

16. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 17. Claims 1, 7-15, 18, 20, 22-26, 29-31, and 36 are rejected under 35 U.S.C. 102(b) as being anticipated by Saari (U.S. Patent 5,936,178).

Re claims 1 and 24, Saari discloses a humidity control device comprising a protective case, a water vapor permeable pouch and a thickened saturated salt solution, said case comprising wall means defining an enclosure, said wall means including a plurality of openings through which water vapor may freely move, said pouch being formed of a thin wall polymer film through which water vapor may pass, said thickened saturated salt solution comprising

Art Unit: 3748

water, salt and a thickening agent, said salt being present in an amount between 20 and 75 percent by weight based on the weight of the combination of water and salt, said thickening agent being present in an amount sufficient to thicken the salt solution, said thickened saturated salt solution being contained within the polymeric pouch and sealed from escape from the pouch, said pouch containing the thickened saturated salt solution being contained within the protective case to protect the pouch from rupture (column 8, lines 65-67 with column 9, lines 1-15, and column 10, lines 14-27).

Re claims 7 and 8, Saari discloses the preferred thickening agent being propylene glycol alginate or xanthan (column 7, lines 18-19).

Re claims 9-13, Saari discloses the openings being oval in shape and approximately 1/16th by 1/8th inch (column 6, lines 16-24) with a tubular structure 16 having a pair of removable end caps 17 (column 5, lines 34-35 and column 9, lines 30-34), the case constructed of a polymer and being 2 to 5 inches in length and 5/8th to 3/4th inches in internal diameter with a securing mechanism to the inside of the case (column 5, lines 56-58, column 6, lines 7-8, column 5, lines 39-40, and column 9, lines 35-42).

Re claim 14, Saari discloses a humidity control device for maintaining a desired humidity, said device comprising a protective case, a water vapor permeable pouch and a thickened saturated salt solution, said case comprising wall means defining an enclosure, said wall means including a plurality of openings through which water vapor may freely move, said pouch being formed of a thin wall polymer film through which water vapor may pass, said thickened saturated salt solution comprising water, salt and a thickening agent, said thickening agent being present in an amount sufficient to thicken the salt solution, said salt solution being

Art Unit: 3748

contained within the polymeric pouch and sealed from escape from the pouch, said pouch containing the thickened salt solution, said pouch being contained within the protective case to protect the pouch from rupture (column 9, lines 43-57).

Re claim 15, Saari discloses the maximum range of saturated solution by weight being from 5% to 90% (column 7, lines 3-6).

Re claim 18, Saari discloses the salt solution having a viscosity of 1500-5000 cps (column 7, lines 34-35).

Re claims 20 and 26, Saari discloses the polymer film being high density polyethylene, oriented polystyrene, microporous polyethylene, microfiberous polyethylene, or polyvinylchloride (column 4, lines 66-67 with column 5, lines 1-3).

Re claim 22, Saari discloses films that can have a moisture transfer rate in the range of about 10 to 25 grams or more per 24 hours per 100 square inches of film (column 4, lines 33-36 and lines 42-43).

Re claim 23, Saari discloses a method for controlling the humidity in a case comprising applying a humidity control mechanism to environment in the case, said mechanism including an encased saturated salt solution, said encasement being permeable to water vapor to permit water vapor to leave the salt solution in the adjacent relative humidity is below a desired level and to pick up water vapor if the relative humidity is above a desired level (column 10, lines 7-14).

Re claim 25, Saari discloses the polymer film with a thickness of 0.15 mils to 1 mil or greater (column 6, lines 42-47).

Re claims 29-31, Saari discloses the solution may be a hydrocolloid including soluble gums (alginate, xanthan, pectin), a protenin gel (egg, albumen, gelatin), or inorganic polymer

Art Unit: 3748

(silicates) (column 2, lines 50-55), and the thickening agent preferably being propylene glycol alginate and xanthan (column 7, lines 18-19).

Page 8

Re claim 36, Saari discloses a humidity control device for use in maintaining a desired humidity, said device including a water vapor permeable pouch and a saturated solution, said pouch being formed of a thin wall polymer film through which water vapor may pass, said saturated solution comprising water and solute, said solute being present in an amount of between 20 and 75 percent by weight based on the weight of the combination of water and solute, said solution being contained within the polymeric pouch and sealed from escape from the pouch (column 12, lines 7-16).

Claim Rejections - 35 USC § 103

- 18. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 19. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Saari in view of El Kabbani et al. (U.S. Patent 6,646,121).

Saari discloses a humidity control device for maintaining a desired humidity, said device comprising a protective case, a water vapor permeable pouch and a thickened saturated salt solution, said case comprising wall means defining an enclosure, said wall means including a plurality of openings through which water vapor may freely move, said pouch being formed of a thin wall polymer film through which water vapor may pass, said thickened saturated salt solution comprising water, salt and a thickening agent, said thickening agent being present in an

Art Unit: 3748

amount sufficient to thicken the salt solution, said salt solution being contained within the polymeric pouch and sealed from escape from the pouch, said pouch containing the thickened salt solution, said pouch being contained within the protective case to protect the pouch from rupture (column 9, lines 43-57). Saari fails to disclose the specific moisture transfer rate cited.

El Kabbani et al. teach a sucralose composition for maintaining the moisture content of a container with a MVTR of the container being not more than 0.1 grams/100 square inches/24 hours (column 4, lines 31-33). It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the teaching by El Kabbani et al. in the humidity control device of Saari, since the use thereof would have provided a wider range of moisture content control for multiple purposes.

20. Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Saari in view of DelDuca et al. (U.S. Patent 6,508,955).

Saari discloses a humidity control device for use in maintaining a desired humidity, said device including a water vapor permeable pouch and a saturated solution, said pouch being formed of a thin wall polymer film through which water vapor may pass, said saturated solution comprising water and solute, said solute being present in an amount of between 20 and 75 percent by weight based on the weight of the combination of water and solute, said solution being contained within the polymeric pouch and sealed from escape from the pouch (column 12, lines 7-16). Saari fails to disclose the use of an oxygen scavenger.

DelDuca et al. teach the use of adding an oxygen scavenger to food package to aid in the absorption of residual oxygen (column 2, lines 23-35). It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the

Art Unit: 3748

teaching by DelDuca et al. in the humidity control device of Saari, since the use thereof would have provided a quicker method to remove excess oxygen from the food cases.

Allowable Subject Matter

21. Claims 2-6, 16-17, 19, 27-28, 32-35, 38-47 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

- 22. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure and consists of 7 patents.
- Nakamura et al. (U.S. Patent 4,384,972) disclose a foodstuff freshness keeping agents using salt of manganese, iron, cobalt, or nickel.
- Spruill et al. (U.S. Patent 5,037,459) disclose a device for controlling relative humidity with a water vapor permeable membrane packet.
- Venkateshwaran et al. (U.S. Patent 5,885,481) disclose an oxygen scavenging composition with multiple purposes.
- Ferrell (U.S. Patent 5,934,773) discloses a humidifier device containing moisture absorbing packages or pouches.
- Cullen et al. (U.S. Patent 6,139,935) disclose an oxygen absorbing label for different types of containers.
- Saari et al. (U.S. Patent 6,244,432) disclose a humidity control device for gun cases substantially the same as the disclosed invention.

Art Unit: 3748

- McKedy (U.S. Patent 6,436,872) discloses an oxygen absorber containing particulate annealed electrolytically reduced iron to include between about 100 mesh and 325 mesh.

Communication

23. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kyle M. Riddle whose telephone number is (703) 306-3409. The examiner can normally be reached on M-F (07:30-5:00) Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Denion can be reached on (703) 308-2623. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9302.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0861.

Kyle M. Riddle Examiner Art Unit 3748

kmr

THOMAS DENION
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700